





2004 – 2006 GMM Phase II Comparisons: August 22-23, 2007




Moisture Meter Comparison - Hard Red Winter Wheat 2004 - 2006 Crop Years




Moisture Meter Comparison - Durum Wheat 2004 - 2006 Crop Years




Moisture Meter Comparison - Hard Red Spring Wheat 2004 - 2006 Crop Years




Moisture Meter Comparison - Hard White Wheat 2004 - 2006 Crop Years



Moisture Meter Comparison - Soft Red Winter Wheat 2004 - 2006 Crop Years




Moisture Meter Comparison - Soft White Wheat 2004 - 2006 Crop Years




Moisture Meter Comparison - Long Grain Rough Rice

2004 - 2006 Crop Years




Moisture Meter Comparison - Medium Grain Rough Rice

2004 - 2006 Crop Years




Moisture Meter Comparison - Oats

2004 - 2006 Crop Years




Moisture Meter Comparison - Grain Sorghum

2004 - 2006 Crop Years




Moisture Meter Comparison - Six-Row Barley

2004 - 2006 Crop Years



Moisture Meter Comparison - Two-Row Barley

2004 - 2006 Crop Years



Moisture Meter Comparison - Sunflower Seed
2004 - 2006 Crop Years

